



SPECIAL FEATURES:

- VITON CONDUIT BOX & COVER GASKETS
- VITON O-RINGS IN ENDBELL RABBETS
- VITON SHAFT SEAL
- BREATHER PLUGS IN L.E. ENDBELL (B.I.C.B.)
- ALL STAINLESS STEEL CONSTRUCTION

DASH NO.	"C"	"AD"
700	11.70	8.25
750	12.20	8.75
800	12.70	9.25
850	13.20	9.75
900	13.70	10.25

MAXIMUM FACE RUNOUT TO BE .004 T.I.R.
 MAXIMUM PILOT ECCENTRICITY .004 T.I.R.
 PERMISSIBLE SHAFT RUNOUT .002 T.I.R.

				TOLERANCES UNLESS SPECIFIED			ELECTRIC MOTORS GEARMOTORS AND DRIVES	DRAWN	LST 3/25/03
				DEC.	INCHES			CHK	RW 3/25/03
				.X	±.1			APPD	
				.XX	±.03	TITLE	OUTLINE- 56C FRAME	SCALE	3=8
02	ADDED HOLE PLUGS PER ECO 03-617	LST 8/7/03	.XXX	±.005	TENV- "C" FACE		REF	034991	
01	REVISED NAMEPLATE	JJK 7/24/03	.XXXX	±.0005	MAT'L. STAINLESS STEEL DUCK		FMF	116349	
NO.	REVISION	BY & DATE	CHK	ANG	±1/2"	FINISH	PREV		
THIS DRAWING IN DESIGN AND DETAIL IS OUR PROPERTY AND MUST NOT BE USED EXCEPT IN CONNECTION WITH OUR WORK ALL RIGHTS OF DESIGN AND INVENTION ARE RESERVED THIS IS AN ELECTRONICALLY GENERATED DOCUMENT - DO NOT SCALE THIS PRINT				RFP	CAD FILE	034992	SIZE	DRAWING NO.	REV.
				DIST			A	034992	02

ERROR: syntaxerror
OFFENDING COMMAND: --nostringval--

STACK:

/initialize
-dictionary-
/Pscript_WinNT_Compat
-dictionary-