



(1) 1/2-14 NPT
(PLUGGED)

(4) 3/8-16 UNC-2B X .56
DEEP ON A ø5.875 B.C.

DASH NO.	"C"	"AD"
600	10.84	5.37
650	11.34	5.87
700	11.84	6.37
750	12.34	6.87
800	12.84	7.37
850	13.34	7.87

MAXIMUM FACE RUNOUT .004 T.I.R.
MAXIMUM PILOT ECCENTRICITY .004 T.I.R.
PERMISSIBLE SHAFT RUNOUT .002 T.I.R.

TOLERANCES UNLESS SPECIFIED

DEC. INCHES

.X ±.1

.XX ±.03

.XXX ±.005

.XXXX ±.0005

ANG ±1/2°



ELECTRIC MOTORS
GEARMOTORS
AND DRIVES

DRAWN RDW 8/13/05

CHK

APPD SW 8/15/05

SCALE 3=8

REF

FMF

PREV

TITLE
OUTLINE - 56C FRAME
DRIP PROOF - "C" FACE

MAT'L. WATSAVER

NO.	REVISION	BY & DATE	CHK	ANG	FINISH

RFP 8/15/05

CAD FILE 028701

SIZE DRAWING NO.

A 028701

REV.

DIST BRF-NLV

THIS DRAWING IN DESIGN AND DETAIL IS OUR PROPERTY AND MUST NOT BE USED EXCEPT IN CONNECTION WITH OUR WORK ALL RIGHTS OF DESIGN AND INVENTION ARE RESERVED THIS IS AN ELECTRONICALLY GENERATED DOCUMENT - DO NOT SCALE THIS PRINT

ERROR: syntaxerror
OFFENDING COMMAND: --nostringval--

STACK:

/im
-savelevel-