



DASH NO.	"C"	"AD"
800	13.37	9.23
850	13.87	9.73
900	14.37	10.23
950	14.87	10.73

MAXIMUM FACE RUNOUT TO BE .004 T.I.R.
 MAXIMUM PILOT ECCENTRICITY .004 T.I.R.
 PERMISSIBLE SHAFT RUNOUT .002 T.I.R.

ALL-STAINLESS
 VITON CONDUIT BOX & COVER GASKETS
 VITON O-RINGS IN ENDBELL RABBETS & UNDER THRU BOLT HEADS
 VITON SHAFT SEALS
 BREATHER PLUGS IN CONDUIT BOX & L.E. ENDBELL
 ALL STAINLESS STEEL CONSTRUCTION

		TOLERANCES UNLESS SPECIFIED		LEESON		ELECTRIC MOTORS GEARMOTORS AND DRIVES		DRAWN RDW 9/10/04	
		DEC.	INCHES					CHK	
02	REVISED PER ECR 91065, DECREASED "AD" DIM BY .09"	.XX	±.03	TITLE		OUTLINE - 140TC FRAME TEFC - "C" FACE		APPD	SW 9/10/04
01	"AD" 9.32, 9.82, 10.32, 10.82, WAS 8.88, 9.38, 9.88,	.XXX	±.005	MATERIAL		STAINLESS STEEL DUCK		SCALE	1=2
	10.38, 5.89 WAS 5.98, 4.67 WAS 4.75	.XXXX	±.0005	FINISH				REF	PRO40210
NO.	REVISION	BY & DATE	CHK	ANG	±1/2"	FINISH	PREV		
	THIS DRAWING IN DESIGN AND DETAIL IS OUR PROPERTY AND MUST NOT BE USED EXCEPT IN CONNECTION WITH OUR WORK ALL RIGHTS OF DESIGN AND INVENTION ARE RESERVED THIS IS AN ELECTRONICALLY GENERATED DOCUMENT - DO NOT SCALE THIS PRINT			RFP	9/10/04	CAD FILE	028623	SIZE	DRAWING NO.
			DIST					B	028623
									02