







Uncontrolled Copy




Uncontrolled Copy



Uncontrolled Copy

REV	ECO	REV BY	DATE	APPD	DATE
D		0013035	VMS	JOSUE	03-18-2010




(TWO SPEED)

GEOMETRIC CHARACTERISTICS & SYMBOLS □ FLATNESS — STRAIGHTNESS — ANGULARITY ⊥ PERPENDICULARITY (SQUARENESS) // PARALLELISM ○ ROUNDNESS (CIRCULARITY) / CYLINDRICITY △ PROFILE OF ANY SURFACE — PROFILE OF ANY LINE / RUNOUT ⊕ TRUE POSITION ◎ CONCENTRICITY ≡ SYMMETRY	UNLESS OTHERWISE SPECIFIED DIM. TOLERANCES ARE AS FOLLOWS: INCH X1 XX XXX XXXX mm ±0.1 ±0.2 ±.005 ±.0005 ANG. ±50 DEG REMOVE BURRS & BREAK SHARP EDGES: INCH .003-.015 mm 0.1-0.4 CORNER FILLETS TO: INCH .020 mm 0.5 MACHINE SURFACES: INCH 125/ mm 3.2/ METRIC DIMS. SHOWN IN [BRACKETS]		DR BY: Josue	07-15-2008	 AOSmith Innovation has a name. ELECTRICAL PRODUCTS COMPANY A DIVISION OF A.O. SMITH CORPORATION
			APPD: M. OVERHOLSER	07-15-2008	
	THIRD ANGLE PROJECTION 		EDS DATE 02-22-2008 FORMAT REV F		
	CONFIDENTIAL: THIS DRAWING AND ITS INFORMATION ARE THE EXCLUSIVE AND CONFIDENTIAL PROPERTY OF A.O. SMITH CORP. AND ARE NOT TO BE DISCLOSED, DUPLICATED, DISTRIBUTED OR OTHERWISE USED WITHOUT THE WRITTEN CONSENT OF A.O. SMITH CORP. -ALL RIGHTS RESERVED.		SIZE A	DWG NO D0000026-001	
			SCALE NONE	SHEET 1	

Uncontrolled Copy

REVISION:	ECO	REVISADO POR:	FECHA:	APROBADO POR:	FECHA:
D	0013035	VMS	03-18-2010	JOSUE	03-18-2010




(DOS VELOCIDADES)

CARACTERÍSTICAS DE GEOMETRIA Y SIMBOLOS □ PLANICIDAD — RECTITUD ∠ ANGULARIDAD ⊥ PERPENDICULARIDAD (A ESQUADRA) // PARALELISMO ○ REDONDEZ (CIRCULARIDAD) R CILINDRICIDAD △ PERFIL DE CUALQUIER SUPERFICIE △ PERFIL DE CUALQUIER LINEA / VARIACION REAL ⊕ POSICION REAL ◎ CONCENTRICIDAD ≡ SIMETRIA	A MENOS QUE SE ESPECIFIQUE DE OTRA MANERA, LAS TOLERANCIAS DE LAS DIMS, SON LAS SIGUIENTES: PULG ±0.005 ±0.005 ±0.005 ±0.005 MM ±0.1 ±0.1 ±0.1 ±0.1 ANG ±0.5 ±0.5 ±0.5 ±0.5 ELIMINAR REBABS Y ORILLAS FILOSAS DEL BORDE PULG 0.03—0.15 mm 0.1—0.4 FILETEAR ESQUINA: PULG .020 mm 0.5 MAQUINAR SUPERFICIES PULG 1.25 mm 3.2 DIMS METRICAS MOSTRADAS [PARENTESIS]	DIBUJADO POR: Josue	07-15-2008	ELECTRICAL PRODUCTS COMPANY A DIVISION OF A.O. SMITH CORPORATION	
				A.O. Smith Innovation has a name.	
				DESCRIPCION: CONN DIAGRAM – NAMEPLATE	
				TAMAÑO: A NUMERO DE DIBUJO: D0000026-001 ESCALA: NONE HOJA: 1	

Uncontrolled Copy

版本	ECO	编制	日期	批准	日期
D	0013035	VMS	03-18-2010	JOSUE	03-18-2010



形位公差 □ 平面度 — 直线度 ∠ 倾斜度 ⊥ 垂直度 ∥ 平行度 ○ 圆度 ⌀ 圆柱度 ⌒ 圆弧度 ⌒ 轮廓度 ↗ 圆跳动 ⬮ 位置度 ⊕ 同轴度 ≡ 对称度	除另有注明， 尺寸公差如下： X XX XXX XXXX 英寸 ±.1 ±.02 ±.005 ±.0005 毫米 ±0.5 度 ±0.13 ±0.013 清理毛刺和尖棱 英寸 .003-.015 毫米 0.1-0.4 内圆角 英寸 .020 毫米 0.5 表面粗糙度 英制 125 米制 3.2 米制尺寸显示在[]	绘图： Josue	07-15-2008	ASME Y14.5M 1994			
		批准： M. OVERHOLSER	07-15-2008				
		第三角投影					
		图纸格式发布日期 02-22-2008					
		图纸格式版本 F					
		机密： 本图纸及相关信息所有版权归A. O. SMITH公司所有。 未经A. O. SMITH公司书面授权，不得泄露、复制、传播或作 其他用途。 一版权所有					
		图幅			图号	D0000026-001	
		比例			NONE	页号	1
		名称			CONN DIAGRAM - NAMEPLATE		