



- NOTES:
1. NAMEPLATE TO BE READ FROM C'BOX SIDE OF MOTOR.
  2. BOX CAN BE MOUNTED IN 90° STEPS.
  3. BOX CAN BE MOUNTED ON OPPOSITE SIDE BY REMOVING BRACKETS AND TURNING FRAME 180°. (EXCEPT AS NOTED)

DASH	FR.	C	AG	BS	MOUNTING
965	213JM	17.66	13.41	5.43	
1115	213/15JM	19.16	14.91	6.93	
1240	213/15JM	20.41	16.16	8.18	F1 ONLY

6	Ø.8745/.8740 WAS Ø.8750/.8745	ECN #21254	WGJ 08/03/2011	EMH	TOLERANCES UNLESS SPECIFIED		DRAWN KL 12-23-1994			
5	UPDATED DRAWING		TJW 04/27/2007	DEC.	INCHES		CHK ML 12-23-1994			
4	REDRAWN IN AUTOCAD		TAT 07-06-2004	ML	.X ±.1		APPD DRN 12-23-1994			
3	UPDATED C' BOX GEOMETRY CN 28425		DRS 04-16-2001	.XX	±.03		SCALE 1=5			
2	REPLACED FRONT BRACKET A86100 WITH A86910		DA 03-11-1996	.XXX	±.005		REF			
	'C' DIM. REDUCED BY .76 CN 21725-119			.XXXX	±.0005		FMF			
NO.	REVISION		BY & DATE	CHK	ANG ±7'30"	FINISH	PREV			
THIS DRAWING IN DESIGN AND DETAIL IS OUR PROPERTY AND MUST NOT BE USED EXCEPT IN CONNECTION WITH OUR WORK ALL RIGHTS OF DESIGN AND INVENTION ARE RESERVED THIS IS AN ELECTRONICALLY GENERATED DOCUMENT - DO NOT SCALE THIS PRINT				RFP	CAD FILE ss86566		SIZE A	DRAWING NO. SS86566	PAGE OF	REV. 6
				DIST LB						