



DASH NO.	"C"	"AD"
850	16.00	5.29
900	16.50	5.79
950	17.00	6.29

MAXIMUM FACE RUNOUT TO BE .004 T.I.R.
 MAXIMUM PILOT ECCENTRICITY .004 T.I.R.
 PERMISSIBLE SHAFT RUNOUT .002 T.I.R.

ALL-STAINLESS
 VITON CONDUIT BOX & COVER GASKETS
 VITON O-RINGS IN ENDBELL RABBETS & UNDER THRU BOLT HEADS
 VITON SHAFT SEALS
 BREATHER PLUGS IN CONDUIT BOX & L.E. ENDBELL
 ALL STAINLESS STEEL CONSTRUCTION

		TOLERANCES UNLESS SPECIFIED		LEESON		ELECTRIC MOTORS GEARMOTORS AND DRIVES		DRAWN RDW 8/3/04		
		DEC.	INCHES					CHK		
02	REVISED PER ECR 91065, DECREASED "AD" DIM BY .09" AND CORRECTED "AD"	JWM	3/23/07	.X	±.1	TITLE OUTLINE - 140JM FRAME TEFC - RIGID "C"		APPD	SW 8/3/04	
01	"AD" VALUE 4.87 W 4.93, 5.37 W 5.43, 5.87 W 5.93; ECR 66947	KLS	5/26/06	.XX	±.03	SCALE 1=2		REF		
				.XXX	±.005	MAT'L STAINLESS STEEL DUCK JM PUMP		FMF		
				.XXXX	±.0005			PREV		
NO.	REVISION	BY & DATE	CHK	ANG	±1/2"	FINISH				
THIS DRAWING IN DESIGN AND DETAIL IS OUR PROPERTY AND MUST NOT BE USED EXCEPT IN CONNECTION WITH OUR WORK ALL RIGHTS OF DESIGN AND INVENTION ARE RESERVED THIS IS AN ELECTRONICALLY GENERATED DOCUMENT - DO NOT SCALE THIS PRINT				RFP	8/3/04	CAD FILE	028620	SIZE	DRAWING NO.	REV.
				DIST				B	028620	02

ERROR: undefined
OFFENDING COMMAND: mat

STACK:

/\$x
-dictionary-
/Pscript_WinNT_Compat
-dictionary-