



A Regal Brand

Catalog # : LM21382

Product Type: AC MOTOR

Description: 3,1800,TEFC,213U,3/60/460

Model: CCF4P3U64

Stock: Stock

Quote: Price:

Date: 10/21/2014



A Regal Brand

Catalog # : LM21382
Product Type: AC MOTOR
Description: 3,1800,TEFC,213U,3/60/460

Model: CCF4P3U64
Stock: Stock

Engineering Data					
Volts	460	Volts		Volts	
F.L. Amps	4	F.L. Amps		F.L. Amps	
S. F Amps		S. F Amps		S. F Amps	
RPM	1800	Hertz	60		
HP	3	Duty	CONTINUOUS	TYPE	TFS
KW	2.238				
Frame	213U	Serv. Factor	1.0	Phase	3
Max Amb	65	Design	B	Code	K
Insul Class	F	Protection	NOT	Therm.Prot.	
Eff 100%	88.5	Eff 75%		PF	81
UL	V-INS, CONST UL REC	CSA	Yes	Bearing OPE	206
CC Number	CC004A	CE	Yes	Bearing PE	307
Load Type		Inverter Type	NONE	Speed Range	NONE
Motor Wt.	170 LB	Enclosure	TEFC	Lubrication	STANDARD
Nameplate		Mounting	RIGID	Rotation	REV
Assembly		Shaft Dia.		Ext. Diag.	A-EE7300-LN
Cust Part No		Outline	B-SS88189LN-725	Ext. Diag2	
Packaging	B	Outline Dash No		Winding	K2134209
Carton Label				GROUP :	1
Iris		Paint	LINCOLN GRAY	Test Card	
Form Factor		RMS Amps		Const Torque	Speed Range
Torque		Peak			
AB Code		Peak@DegC			
Resistance					
Connection					
Rework Status		Rework TYPE			

Hazardous Loc		NONE						Brake Motors	
Explosion Proof				Temp Op Code				FORCE	
Class				GROUP				VDC	
Class				GROUP				ADC	
								Brake Coil OHMs @25 C	
Performance									
Torque UOM						Inertia (WK²)			
Torque									
CURRENT (amps)									
Efficiency (%)									
PowerFactor									
Load Curve Data @60 HzVolts,3Horsepower									
Load	Amps	KW	RPM	Torque	Eff	PF	Rise By Resis	Frame Rise	
0.0	1.6	0.2	1800	0.0	0.0	10.0	0.0	-	
0.25	1.9	0.75	1790	2.2	78.5	47.0	0.0	-	
0.5	2.4	1.3	1780	4.5	86.5	67.0	0.0	-	
0.75	3.2	1.9	1770	6.7	88.5	77.0	0.0	-	
1.0	4.0	2.6	1760	9.0	88.5	81.0	35.0	-	
1.15	4.5	3.0	1752	10.4	88.5	83.0	45.0	-	
1.25	4.9	3.2	1745	11.3	87.5	84.0	55.0	-	
									SOURCE: CALCULATED GROUP: 1
Load Curve Data @60HzVolts,3Horsepower									
Load	Amps	KW	RPM	Torque	Eff	PF	Rise By Resis	Frame Rise	
Load Curve Data Not Available									
Quote:		Price:							
Date: 10/21/2014									


```
ERROR: syntaxerror  
OFFENDING COMMAND: --nostringval--
```


```
STACK:
```

```
/RS  
-dictionary-  
/Pscript_WinNT_Compat  
-dictionary-
```


THREE PHASE – SINGLE VOLTAGE
MOTOR – CONDUIT BOX @ 'A'

EE7300-LN

TO REVERSE ROTATION:
INTERCHANGE ANY TWO LINE
LEAD CONNECTIONS



IF MOTOR HAS
6 LEADS



A-9806 DECAL

OPTIONAL CORD
CONNECTION

L1 WHITE
L2 RED
L3 BLACK

				TOLERANCES UNLESS SPECIFIED			DRAWN BLR 08-13-1999		
				DEC.	INCHES		CHK	ML	08-13-1999
				.X	±.1		APPD	GK	08-13-1999
				.XX	±.02		SCALE 1=1		
2	ADDED OPTIONAL CORD CONNECTION PER MU47226	CTO 03-31-2004	PJB	.XXX	±.005	TITLE CONNECTION DIAGRAM SINGLE VOLT – 3Ø MOTOR		REF	
1	NEW DRAWING	CTO 08-13-1999		.XXXX	±.0005	MAT'L.		FMF	
NO.	REVISION	BY & DATE	CHK	ANG	±7'30"	FINISH		PREV	
THIS DRAWING IN DESIGN AND DETAIL IS OUR PROPERTY AND MUST NOT BE USED EXCEPT IN CONNECTION WITH OUR WORK ALL RIGHTS OF DESIGN AND INVENTION ARE RESERVED THIS IS AN ELECTRONICALLY GENERATED DOCUMENT – DO NOT SCALE THIS PRINT				RFP		CAD FILE EE7300_LN		SIZE	DRAWING NO. PAGE OF
				DIST WP				A	EE7300-LN 2