



NOTES:  
 1) GASKETS BETWEEN FRAME AND ENDBELL/GEARBOX, CONDUIT BOX AND FRAME, AND CONDUIT BOX COVER AND CONDUIT BOX.

CATALOG NUMBER	OUTPUT RPM	FULL LOAD TORQUE LB.-IN.	INPUT HP	OVERHUNG LOAD LBS.	RATIO TO 1
M1125273.00	14	341	1/8	465	180

				TOLERANCES UNLESS SPECIFIED		LEESON	ELECTRIC MOTORS GEARMOTORS AND DRIVES	DRAWN IPG 5/16/05			
				DEC.	INCHES			CHK	SAD	5/16/05	
02	1/2 NPT CONDUIT PLUG QTY. WAS 3. ISAAC 08-3457	RPB	7/30/08	BC	.X	±.1	TITLE	OUTLINE - 31 FRAME DC 12V - PE350 GEARMOTOR	APPD		
01	REMOVED (2) O-RINGS FROM INSIDE OF BRUSH HOLDERS.				.XX	±.03			SCALE	1=2	
	CHANGED BRUSH CAPS & ADDED TEFLON. ECN 07-4101	RPB	11/26/07	BC	.XXX	±.005			REF	PRO40128-RD1	
00	RELEASED: REF. PRO40128-RD1	IPG	5/16/05	SAD	.XXXX	±.0005	MAT'L	FMF	M1125273.00		
NO.	REVISION	BY & DATE		CHK	ANG	±1/2'	FINISH	PREV			
THIS DRAWING IN DESIGN AND DETAIL IS OUR PROPERTY AND MUST NOT BE USED EXCEPT IN CONNECTION WITH OUR WORK ALL RIGHTS OF DESIGN AND INVENTION ARE RESERVED THIS IS AN ELECTRONICALLY GENERATED DOCUMENT - DO NOT SCALE THIS PRINT				RFP			CAD FILE	M1030993	SIZE	DRAWING NO.	REV.
				DIST				B	M1030993.00	02	