


- NOTES:
 1. CONDUIT BOX CAN BE ROTATED IN 90° STEPS.
 2. CONDUIT BOX CAN BE MOUNTED ON OPPOSITE SIDE BY REMOVING BRACKETS AND TURNING FRAME 180°
 3. NAMEPLATES TO BE READ FROM CONDUIT BOX SIDE OF MOTOR.



| DASH | FRAME | B | C | BS | 2F | 2FF | FOOT HOLE QTY |
|------|--------|-------|-------|------|-------|-------|---------------|
| 1150 | 324T | 13.00 | 28.88 | 5.25 | - | 10.50 | 4 |
| 1300 | 324/6T | 14.50 | 30.38 | 6.00 | 10.50 | 12.00 | 8 |
| 1450 | 326T | 15.00 | 31.88 | 6.75 | 12.00 | 13.50 | 8 |

| | | | | | | |
|------------------------|---|---------------|---------------------------|-----------------------------|--------|--------------------|
| 16 | ADDED F2 VIEW | TJW 3/23/2011 | CTO | TOLERANCES UNLESS SPECIFIED | | DRAWN RM 1/12/1993 |
| 15 | REVISED 2F & 2FF DIMENSIONS CN32785 | TAT 7/27/2004 | ML | DEC INCHES | | CHK ML 1/12/1993 |
| 14 | CHANGED 2F DIMENSION FOR -1450 CN33505 | TAT 3/31/2004 | ML | X ±.1 | | APPR GK 1/12/1993 |
| 13 | ADDED FOOT HOLE QTY & MTG. TO TABLE CN37323 | TAT | .XX | ±.03 | | SCALE 7:32 |
| 12 | REMOVED DASH 1450 MU31041 | MJD 5/24/2000 | .XXX | ±.005 | | REF |
| 11 | UPDATED C'BOX GEOMETRY CN28424 | DRS 2/11/2000 | .XXX | ±.0005 | MATL | FMF |
| NO | REVISION | BY & DATE | CHK | ANG ±7'30" | FINISH | PAGE OF |
| | | | RFP | PREV | SIZE | DRAWING NO |
| THIRD ANGLE PROJECTION | | | NETWORK FILE NAME SS28703 | | B | SS28703 |
| | | | | | | REV |
| | | | | | | 16 |