


SS86500

.31x.31x2.38
KEY

Ø 1.09 LEAD HOLE
Ø 1.34 KNOCKOUT

Ø .41-.46
8 HOLES

F2 VIEW



NOTES:

1. NAMEPLATE TO BE READ FROM C'BOX SIDE OF MOTOR.
2. BOX CAN BE MOUNTED IN 90° STEPS.
3. BOX CAN BE MOUNTED ON OPPOSITE SIDE BY REMOVING BRACKETS AND TURNING FRAME 180°. (EXCEPT AS NOTED.)

DASH	FR.	C	BS	MOUNTING
1115	213/15T	17.30	6.93	F1/F2
1240	213/15T	18.55	8.18	F1 ONLY

NO.	REVISION	BY & DATE	CHK	ANG	±7'30"	FINISH	TITLE OUTLINE 210 FR. - BB - TS - DR. PR.	MAT'L.	DRAWN SMC 04-13-1993
13	FOR FRAME 11.15 MOUNTING NOTE ADDED	UD 12/13/12	SR	TOLERANCES UNLESS SPECIFIED		MARATHON ELECTRIC	DRAWN SMC 04-13-1993	CHK MOL 04-04-1993	APPD DRN 04-13-1993
12	ADDED: F2 VIEW.	KVN 2/10/2009	SVL	DEC.	INCHES				
11	UPDATED DRAWING	TJW 04/27/2007		.X	±.1	REF	FMP	PREV	SCALE 1=4
10	REM'VD. DASH 965 FROM SERIES CN38252	RWR 07-20-2004	ML	.XX	±.03				
9	REDRAWN IN AUTOCAD	TAT 06-29-2004	ML	.XXX	±.005	CAD FILE ss86500	SIZE A	DRAWING NO. SS86500	PAGE 1 OF 1
8	REVISED 'C' DIMENSIONS CN 29200-817	NJS 08-29-2000	ML	.XXXX	±.0005				
THIS DRAWING IN DESIGN AND DETAIL IS OUR PROPERTY AND MUST NOT BE USED EXCEPT IN CONNECTION WITH OUR WORK ALL RIGHTS OF DESIGN AND INVENTION ARE RESERVED THIS IS AN ELECTRONICALLY GENERATED DOCUMENT - DO NOT SCALE THIS PRINT			RFP	DIST LB					